



## Transversus abdominis and core stability: has the pendulum swung?

G T Allison and S L Morris

*Br. J. Sports Med.* 2008;42:930-931; originally published online 4 Jul 2008;  
doi:10.1136/bjsem.2008.048637

---

Updated information and services can be found at:  
<http://bjsm.bmj.com/cgi/content/full/42/11/930>

---

*These include:*

### References

1 online articles that cite this article can be accessed at:  
<http://bjsm.bmj.com/cgi/content/full/42/11/930#otherarticles>

### Rapid responses

One rapid response has been posted to this article, which you can access for free at:

<http://bjsm.bmj.com/cgi/content/full/42/11/930#responses>

You can respond to this article at:

<http://bjsm.bmj.com/cgi/eletter-submit/42/11/930>

### Email alerting service

Receive free email alerts when new articles cite this article - sign up in the box at the top right corner of the article

---

### Notes

---

To order reprints of this article go to:

<http://journals.bmj.com/cgi/reprintform>

To subscribe to *British Journal of Sports Medicine* go to:

<http://journals.bmj.com/subscriptions/>

# Transversus abdominis and core stability: has the pendulum swung?

G T Allison,<sup>1</sup> S L Morris<sup>2</sup>

<sup>1</sup> School of Physiotherapy, Curtin University of Technology, Perth, Australia; <sup>2</sup> The University of Western Australia, Perth, Australia

Correspondence to:

Dr Garry T Allison, Associate Professor of Neuroscience and Trauma Physiotherapy, School of Physiotherapy, Curtin Health Innovation Research Institute, Curtin University of Technology and Royal Perth Hospital Department of Physiotherapy, GPO Box U1987, Perth, Western Australia 6845; [g.allison@curtin.edu.au](mailto:g.allison@curtin.edu.au)

Accepted 8 April 2008

Published Online First 4 July 2008

## ABSTRACT

In the past decade there has been a focus on isolated transversus abdominis activation and how it contributes to lumbo-pelvic stability. This rationale has not only influenced the management of chronic low back pain (LBP); it has also been included in exercises for many other pathologies of the lower and upper limb and also for prophylaxis in pain-free subjects.

The rationale that the feedforward bilateral muscle activation of the transversus abdominis stabilises the segmental lumbar spine is based on the reports that, unlike other trunk muscles, transversus abdominis is activated independently of the direction of any spinal perturbation.<sup>1,2</sup> This finding implies that it plays an important role in spinal stability. The finding that individuals with low back pain or normal subjects with anxiety and stress appear to have altered timing of feedforward onsets of transversus abdominis reinforces the case for the presence of a motor control dysfunction.<sup>3-6</sup> It is often inferred that such a dysfunctional pattern corresponds to less than optimal core stability.

Such an inference – that altered timing of the transversus abdominis leads to poor core stability – is popular in the literature but on further inspection fundamental evidence is lacking.

Firstly, the literature very quickly generalises the research findings of unilateral transversus abdominis activation to a bilateral pattern. In rapid unilateral arm raising (the preferred research model) this assumption is not valid. The contralateral side preactivates the deltoid but in most normal controls the ipsilateral side is significantly lagging.<sup>1</sup> This critical finding suggests that, although some studies show that bilateral activation of transversus abdominis is able to stiffen the spine,<sup>7</sup> such findings do not correspond to the unilateral arm-raising task. That is, although they may provide some evidence that the bilateral activation of the transversus abdominis provides some degree of spinal stiffening (albeit mostly in flexion), bilateral feedforward activation of transversus abdominis is not the normal activation pattern for unilateral arm raising.<sup>1,2</sup>

Secondly, when arm flexion is performed using alternate arms, the transversus abdominis (left and right) are clearly directionally specific.<sup>1,8</sup> The previous reports that transversus abdominis (left) is not directionally specific refers to the comparison of flexion and extension of the same (right) arm. This may reflect the difference in the strategy of arm movement, not the actual perturbing force acting on the spine due to the different directions of arm movement. The feedforward activation of the

transversus abdominis on the contralateral side to arm movement is related to the rotatory torque acting on the spine and the degree of asymmetry between sides is related to the magnitude of this torque.<sup>2</sup>

As the name infers, transversus abdominis holds true to the concept of form and function since it is most sensitive to torques parallel to the muscle fibres. Transversus abdominis shows directional specificity based on the direction of the perturbation,<sup>1,2</sup> and under certain types of movement it is likely to be synergistically active with other leg and trunk muscles in a diagonal rather than the corset action.<sup>1,2</sup> Bilateral arm raising that generates a sagittal plane torque (ie, no significant rotatory torque) makes the transversus abdominis activation more symmetrical (corset-like) but also delays the activation.<sup>2</sup> Hodges *et al*<sup>9</sup> demonstrated that three of eight normal pain-free control subjects did not have feedforward responses in 70% of trials during bilateral arm raising. We propose that this is not due to “less than optimal stability” but rather a normal variation of motor control related to the lack of trunk rotation perturbation. Delayed activation of transversus abdominis in patients with low back pain may be more related to the lack of trunk rotation used in the arm raise by these subjects than to specific motor control problems with transversus abdominis. The activation pattern and onsets of this muscle just may be a better marker of this change in movement strategy than other trunk muscles. The isolated bilateral transversus abdominis activation training strategy, if it does provide a mechanical stiffness of the spine in pathological populations, is therefore more likely to be a compensatory control strategy than a correction of normal patterns of activation. This compensatory training strategy may be a cortical process to normalise movement control. This then re-establishes a normal asymmetrical transversus abdominis action during rotation tasks within a complex muscle synergy rather than correcting a single dysfunctional muscle.

It follows that, although bilateral transversus abdominis isolation has demonstrated some clinical utility, the assumption that it plays a significant and direct mechanical role in stability of the spine is unclear. Furthermore, the bilateral feedforward response is not a normal pattern in predictable rotation perturbations. The idea that this isolated muscle pattern should be taught prophylactically in normal pain-free athletes is at best controversial.<sup>10</sup> Whatever the clinical utility of the intervention, the mechanistic rationale cannot be based on the presumption that the directional invariant bilateral feedforward response of transversus abdominis is acting as a corset stabiliser and

is the normal pattern for all spinal perturbations. Similarly, care has to be taken in the interpretation that all other activation patterns represent motor control dysfunction and that this can be translated into a mechanical inference that these individuals have less than optimal core stability. The evidence is just not there.

**Competing interests:** None.

**Funding:** SLM received support during her doctoral studies from the NHMRC Dora Lush Biomedical Science Scholarship.

## REFERENCES

1. **Allison GT**, Morris SL, Lay B. Feedforward responses of transversus abdominis are directionally specific and act asymmetrically: implications for core stability theories. *J Orthop Sports Phys Ther* 2008;**38**:228–37.
2. **Morris SL**, Lay B, Allison GT. Factor analysis of trunk muscle activation patterns to rapid arm raising. APA National Conference – 15th Biennial Conference Musculoskeletal Physiotherapy Australia. Cairns, Queensland, Australia: 2007.
3. **Hodges PW**, Richardson CA. Inefficient muscular stabilization of the lumbar spine associated with low back pain. A motor control evaluation of transversus abdominis. *Spine* 1996;**21**:2640–50.
4. **Hodges PW**, Richardson CA. Feedforward contraction of transversus abdominis is not influenced by the direction of arm movement. *Exp Brain Res* 1997;**114**:362–70.
5. **Hodges PW**, Richardson CA. Transversus abdominis and the superficial abdominal muscles are controlled independently in a postural task. *Neurosci Lett* 1999;**265**:91–4.
6. **Hodges PW**, Moseley GL, Gabrielsson A, Gandevia SC. Experimental muscle pain changes feedforward postural responses of the trunk muscles. *Exp Brain Res* 2003;**151**:262–71.
7. **Hodges P**, Kaigle Holm A, Holm S, *et al*. Intervertebral stiffness of the spine is increased by evoked contraction of transversus abdominis and the diaphragm: in vivo porcine studies. *Spine* 2003;**28**:2594–601.
8. **Allison GT**, *et al*. Laterality responses during Anticipatory Postural Adjustments in Transversus Abdominis: a repeatability study. 18th International Conference of ISGPR. Burlington, VT: University of Vermont, 2007.
9. **Hodges P**, Cresswell A, Thorstensson A. Preparatory trunk motion accompanies rapid upper limb movement. *Exp Brain Res* 1999;**124**:69–79.
10. **Allison GT**. The push – throw continuum and core stability – are Physiotherapists teaching the correct motor patterns? in APA National Conference – Sports Physiotherapy Australia. Cairns, Queensland, Australia: 2007.

## BMJ Careers online re-launches

BMJ Careers online has re-launched to give you an even better online experience. You'll still find our online services such as jobs, courses and careers advice, but now they're even easier to navigate and quicker to find.

New features include:

- ▶ Job alerts – you tell us how often you want to hear from us with either daily or weekly alerts
- ▶ Refined keyword searching making it easier to find exactly what you want
- ▶ Contextual display – when you search for articles or courses we'll automatically display job adverts relevant to your search
- ▶ Recruiter logos linked directly to their organisation homepage – find out more about the company before you apply
- ▶ RSS feeds now even easier to set up

Visit [careers.bmj.com](http://careers.bmj.com) to find out more.